## 化学療法レジメンセット登録用紙

領域	血液腫瘍	ルート	リザーバー						
適応	【APL】急 <sup>·</sup>	性前骨髓	性白血病						
No(3桁)	001	CODE	004003001001						
診療科	内科	医師	堤						
セット名称	APL204	B群IDR+	AraC(2+5)						
申請年月日	平原	平成21年7月7日							
緊急		通常	•						

抗癌剤名称	手技	標準	投与量					
シタラビン	CIV	100	mg/ <b>m</b> i					
イダマイシン	DIV	12	mg/ <b>m</b> i					

Aポート Vポート	末梢		確認	
		医師	看護師	薬剤師

			4	<b>设与</b>	·ス	ケジ	, ,	ール	·:	(			投			休	)	or	(Iı	nte	rval	日数	女		E	3)	<b>«</b>	)	 》ク	ール
投与順	Rp	投与時間	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22 2	3 2	24 2	25 2	6 2	7 28
1	グラニセトロンバック 50mL	30分																											T	
'	手技:静脈内 経路:	DIV			┖	•	┖	╹																						
2	イダマイシン( )mg + 生食100ml	30分		•																										
	手技:静脈内 経路:	DIV																												
3	シタラビン( )mg + 生食500ml	24時間																												
3	手技:静脈内 経路:	CIV																												
4	ソルデム3A 1000ml	24時間				•																								
4	手技:静脈内 経路:	CIV																												
5	ヘパリンNa 1筒																													
<u> </u>	手技:静脈内 経路:シタラビン点滴終了後に	IV																												
6	手技: 経路:																													
	112.																┪		+				_	┪		+	+		十	+
7	手技: 経路:																												$\perp$	
8	手技: 経路:																													
-	<b>一丁以</b>						$\vdash$										$\dashv$	+	$\dashv$		$\dashv$		-	$\dashv$		+	+	-	+	+
9	手技: 経路:																													
10	手技: 経路:																													