化学療法レジメンセット登録用紙

領域	血液腫瘍	リザーバー										
適応	(MM)	【MM】多発性骨髄腫										
No(3桁)	003	CODE	004015001003									
診療科	内科	医師	堤									
セット名称	Ve	Velcade(+M)										
申請年月日	平成21年7月7日											
緊急		•										

抗癌剤名称	手技	標準	投与量
ベルケイド	IV	1.3	mg/ m i
アルケラン	PO	8	mg/ m i

Aポート Vポート	末梢		確認									
		医師	看護師	薬剤師								

				投	与ス	スケシ	ジュ -	ール	·:	(2	投	į	1	休)	or	(Inte	erva	日	数		E	1) (《 8	》	クー	-ル
投与順		Rp	投与時間	-1	1	2 3	4	5	6	7	8	9 10) 11	12	13	14	15 1	6 17	18	19	20	21	22 2	3 2	4 25	5 26	27	28
1	ヘパリンNa 1筒		ベルケイド前				•																			\prod		
_ '	手技:静脈内	経路:	IV	ľ																						<u>′</u>		
2	ベルケイド()mg + 生食()mL					•																					
	手技:静脈内	経路:生食3mLで溶解する	IV							Ц												Ц						
3	ヘパリンNa 1筒		ベルケイド後	١			•																					
	手技:静脈内	経路:	IV							Ц												Ц				1		
4	アルケラン()၊	mg	1日1回食前							- 1													•					
	手技:	経路:	経口	ľ																		Ц				$oldsymbol{\perp}$	Ш	_
5										- 1												-						
	手技:	経路:		4			4			4		4				_		\bot				4		_	1	igspace	Ш	_
6										-																		
	手技:	経路:		4			-			_			-			4		_				4		\downarrow	-	\downarrow	Ш	4
7		(T) (T)								- 1																		
	手技:	経路:		4			-			4			_		Ш	4					Н	4		4	+	+	Н	_
8	T #	47 DB								-																		
	手技:	経路:		4						\dashv			-		Н	4		+			Н	4		+	+	+	Н	_
9	T ++	4 ₩ □ ₩								-																		
	手技:	経路:		4			-		H	\dashv			1		\vdash	-		-			H	\dashv		+	-	+	$\vdash \vdash$	\dashv
10	 手技:	経路:																										
	丁汉:	作上 以 行。																								丄		