化学療法レジメンセット登録用紙

領域	血液腫瘍	ルート	リザーバー								
適応	【MM】多発性骨髄腫										
No(3桁)	021	CODE	004015001021								
診療科	内科	医師	堤								
セット名称	☆VAD(THP)										
申請年月日	平月	平成21年7月7日									
緊急		通常	•								

抗癌剤名称	手技	標準	集投 与量
オンコビン	DIV	0.4	mg/ m i
ピノルビン	DIV	10	mg/ m i
デキサート	DIV	33	mg/body

Aポート	∨ポート	末梢		確認	
			医師	看護師	薬剤師
· •					

			Ŧ		スケ	ァジ	1-	ル:	:	(投			休)	or	(Ir	nter	rval	日	数			日)	«	2	》た	フール
投与順	Rp	投与時間	-1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25 2	6 2	27 28
1	グラニセトロンバック 50mL	30分		•																										
'	手技:静脈内 経路:	DIV																												
2	デキサート33mg + 生食100mL	1時間		•								(((((((((((((●)									
2	手技:静脈内 経路:	DIV										(0)	(•)	(0)	(0)				ľ	O /	()	()	Ò							
3	オンコビン()mg + 生食50mL	15分		•																										
	手技:静脈内 経路:	DIV																												
5	ピノルビン()mg + 5%ブドウ糖液100mL	30分		•																										
	手技: 経路:希釈後6時間以内に投与終了すること	DIV																												
4	ソルデム3A 1000mL	6時間		•																										
	手技:静脈内 経路:	DIV																												
6	T +																													
	手技: 経路:						_			4							4		+	4						4	_		+	+
7	手技: 経路:																													
8	工++ 47四																		1	ĺ										
	手技: 経路:		Н			_	_	-		\dashv							\dashv		+	4						\dashv	\dashv	_	+	+
9	手技: 経路:																													
10	手技: 経路:																													