化学療法レジメンセット登録用紙

領域	泌尿器がん	ルート	リザーバー
適応	厉	路上皮:	區
No(3桁)	014	CODE	005003001014
診療科	泌尿器科	医師	西村
セット名称	Enfor	tumab V	edotin
申請年月日	令和 :	3 年	12月9日
緊急	•	通常	

抗癌剤名称	手技	標準投与量							
パドセブ	DIV	1.25 mg/kg							
		(最大:125mg まで)							

リザー	バー	末梢	皮下		確認	
				医師	看護師	薬剤師

*	溶解後:2-8℃で24時間以内に使用		4	没与	スク	スケジュ・		ュール		(3	3	投		1 亿		休)o		(投与間)		間隔	『隔		日) 《		》	ク-	ール
*	希釈後:2-8℃で16時間以内に使用	Total時間入力		~							-							7											
投与順	Rp	投与時間	-1	1	2	3	4	5	6	7	8	9	10	11	12	13 1	4 1	5 10	3 17	18	19	20 2	21 2	2 23	24	25	26	27 2	28 29
1	生食 50mL +デキサート 6.6mg	30分		•																									
'	手技:静脈内 経路:	DIV																											
2	パドセブ ()mg +生食 50mL +注射用水 20mL	30分																											
	手技:静脈内 経路:1V:DW3.3mLに溶解(10mg/mL)	DIV																											
3	生食 50mL	10分																											
3	手技:静脈内 経路:	DIV																											
4	ヘパリンNaロックシリンジ 1本																												
4	手技:静脈内 経路:	IV																											
5	手技: 経路:																												
					Г												t										\Box	\top	
6	手技: 経路:																												
7																													
	手技: 経路:																										\square	\perp	
8	手技: 経路:																												
9																											丌	\top	
	手技: 経路:				L																							\perp	
10	手技: 経路:																												