化学療法レジメンセット登録用紙

領域	婦人科がん	ルート	リザーバー										
適応		子宮頸がん											
No(3桁)	025	CODE	007004001025										
診療科	婦人科	医師	山下										
セット名称		PTX											
申請年月日	平	平成28年2月24日											
緊急		通常	•										

抗癌剤名称	手技	標準	投与量
パクリタキセル	DIV	175	mg/m^2

Aポート Vポート	末梢		確認								
		医師	看護師	薬剤師							

※ 令和3年8月11日改訂:DEX+ファモチシンIV→DIVへ

_				投与スケジュール: (1	投	3~	4 4	休) о	r	(投与間隔				11~	28 E	3) (E) 《 》			ル		
投与順		Rp	投与時間	-1	1	2	3	4 5	6	7	8	9	10	11	12	13 1	4 1	5 16	17	18	19	20 2	21 2	22 2	23 2	4 25	26	27	28
1	グラニセトロンバッグ 50	mL +デキサート 9.9mg +ファモチジン 20mg	30分		•																							\prod	
	手技:静脈内	経路:フィルター使用	DIV																									Ш	
2	パクリタキセル()mg +生食 500mL	3時間		•																								
	手技:静脈内	経路:レスタミンコーワ服用30分後から	DIV																									Ш	
3	生食 50mL		15分																										
	手技:静脈内	経路:	DIV																									Ш	
4	へパリンNaロックシリ	リンジ 1本																											
	手技:静脈内	経路:	IV																									Ш	
5																													
	手技:	経路:																										Ш	
6																													
	手技:	経路:										L																\sqcup	
7		/																											
	手技:	経路:										L																${oldsymbol{\sqcup}}$	_
8	T ++	67 D#																											
	手技:	経路:							-			L																igwdap	_
9	エ++	₹ ₹ □₩																											
	手技:	経路:					_			1			$\vdash \vdash$	_	+	+					_	-				-		\vdash	\dashv
10	 手技:	経路:																											