

アンチバイオグラム(%)：北海道道南地域連携グループ

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Acinetobacter baumannii	AMK	100.0	100.0	100.0	97.6	98.7	95.5	93.8	100.0	100.0	100.0	100.0						
	AZT	R	R	R	R	R	R	R	R	R	R	R						
	CAZ	90.0	95.7	96.5	95.3	90.5	92.7	87.5	96.0	86.2	100.0	81.8						
	CFPM	80.0	95.2	98.1	95.2	92.0	82.1	93.8	92.0	89.7	100.0	NA						
	CPFX					NA	NA	NA	NA	NA	100.0	81.8						
	GM	80.0	89.4	98.3	97.5	92.2	83.7	88.2	92.3	86.2	100.0	90.9						
	IPM/CS	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	LVFX	80.0	100.0	100.0	96.5	97.5	93.0	87.5	100.0	85.7	100.0	80.0						
	MEPM	100.0	100.0	98.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	NA						
	MINO	100.0	100.0	100.0	100.0	100.0	97.7	100.0	100.0	100.0	100.0	90.9						
	PIPC	80.0	77.3	74.5	92.3	81.7	73.8	75.0	78.3	72.4	71.4	NA						
	SBT/ABPC	100.0	95.5	100.0	98.2	96.5	94.4	100.0	100.0	93.8	84.6	80.0						
	ST	NA	95.8	100.0	100.0	100.0	93.9	100.0	100.0	100.0	100.0	81.8						
	TAZ/PIPC	100.0	93.5	96.6	93.5	88.0	88.1	100.0	96.0	96.7	100.0	81.8						
	TOB					NA	NA	NA	NA	NA	NA	NA						
	対象株数	10	48	58	88	79	44	17	26	30	17	11						

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Acinetobacter spp. ※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	AMK	98.8	100.0	100.0	97.7	99.0	96.7	95.3	100.0	100.0	100.0	100.0						
	AZT	R	R	R	R	R	R	R	R	R	R	R						
	CAZ	89.2	90.9	96.7	94.3	85.4	84.0	81.5	86.4	86.8	82.8	83.3						
	CFPM	89.2	91.7	98.3	95.5	92.1	85.7	95.4	92.4	88.2	93.0	92.5						
	CPFX					NA	NA	NA	NA	100.0	96.5	92.9						
	GM	94.0	87.9	98.4	97.6	92.9	86.8	96.6	95.8	93.2	98.0	93.9						
	IPM/CS	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.7	100.0	100.0	97.3						
	LVFX	95.2	100.0	100.0	96.6	97.2	94.9	97.1	100.0	94.2	100.0	92.7						
	MEPM	100.0	98.5	98.4	100.0	100.0	100.0	100.0	98.7	100.0	100.0	97.4						
	MINO	100.0	98.5	100.0	100.0	100.0	98.3	100.0	100.0	97.1	100.0	97.6						
	PIPC	72.3	71.4	74.6	92.7	81.3	71.9	78.1	74.6	68.7	65.4	75.7						
	SBT/ABPC	100.0	95.7	100.0	98.3	96.3	96.0	96.2	96.6	92.9	90.9	86.1						
	ST	NA	96.0	100.0	100.0	100.0	84.6	91.4	98.1	95.7	100.0	85.7						
	TAZ/PIPC	89.2	87.7	96.9	93.8	89.3	90.4	94.9	90.0	94.9	92.0	81.8						
	TOB					NA	NA	NA	NA	NA	NA	NA						
	対象株数	83	67	62	92	107	60	70	82	70	59	42						

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Citrobacter freundii	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	AZT	NA	100.0	81.0	91.5	93.8	88.5	84.2	73.3	94.5	88.1	89.7						
	CAZ	83.3	87.5	80.6	90.6	88.9	80.9	81.9	78.0	93.9	87.0	84.2						
	CEZ	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※1	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※2	R	R	R	R	R	R	R	R	R	R	R						
	CFPM	100.0	100.0	100.0	100.0	98.1	100.0	100.0	100.0	100.0	100.0	100.0						
	CMZ	R	R	R	R	R	R	R	R	R	R	R						
	CPFX					NA	NA	NA	NA	NA	98.0	100.0						
	CTRX	75.0	87.0	80.9	90.5	90.7	80.9	82.2	78.0	93.9	87.0	84.2						
	CTX	NA	NA	NA	NA	NA	NA	72.7	83.3	NA	100.0	66.7						
	CVA/AMPC	R	R	R	R	R	R	R	R	R	R	R						
	FOM																	
	GM	100.0	95.8	98.5	95.2	98.1	97.8	100.0	100.0	100.0	98.5	98.1	100.0					
	IPM/CS	100.0	95.8	100.0	98.4	100.0	100.0	100.0	100.0	100.0	98.1	100.0						
	LVFX	91.7	100.0	97.1	92.1	96.2	93.3	91.7	94.9	93.4	95.5	95.0						
	MEPM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	73.6	82.5						
	PIPC	75.0	81.0	75.0	84.1	92.5	79.8	79.5	75.9	89.4	83.3	81.8						
SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R							
ST	NA	84.6	94.7	89.3	94.2	87.6	90.3	84.8	87.3	90.9	85.7							
TAZ/PIPC	83.3	100.0	85.3	93.7	94.4	84.3	87.5	78.0	93.9	90.7	86.0							
TOB					NA	NA	NA	NA	NA	NA	NA							
対象株数		12	24	68	64	54	89	74	59	66	54	57						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Citrobacter koseri	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	100.0	100.0	96.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	AZT	NA	93.3	100.0	100.0	100.0	100.0	94.6	92.5	100.0	97.1	100.0						
	CAZ	78.6	95.8	88.9	100.0	100.0	100.0	96.0	92.7	100.0	97.3	100.0						
	CEZ	71.4	86.4	NA	NA	100.0	NA	70.0	77.8	95.2	94.4	100.0						
	CEZ※1	71.4	86.4	NA	NA	100.0	NA	70.0	77.8	95.2	94.4	100.0						
	CEZ※2	71.4	86.4	NA	NA	100.0	NA	70.0	77.8	95.2	94.4	100.0						
	CFPM	85.7	100.0	88.9	100.0	100.0	100.0	98.0	95.1	100.0	97.3	100.0						
	CMZ	100.0	95.2	NA	NA	100.0	NA	90.0	100.0	100.0	100.0	100.0						
	CPFX					NA	NA	NA	NA	NA	97.1	100.0						
	CTRX	71.4	91.3	88.9	100.0	100.0	100.0	94.0	92.7	100.0	97.3	100.0						
	CTX	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA						
	CVA/AMPC	92.9	89.5	NA	NA	100.0	NA	86.7	100.0	100.0	93.3	NA						
	FOM																	
	GM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.3	100.0						
	IPM/CS	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	LVFX	100.0	100.0	96.3	100.0	100.0	100.0	98.0	100.0	100.0	97.3	100.0						
	MEPM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	100.0	96.7						
	PIPC	14.3	56.5	37.0	23.1	38.2	51.5	50.0	39.0	55.0	44.4	42.9						
SBT/ABPC	71.4	89.5	NA	NA	100.0	NA	80.0	83.3	100.0	94.4	100.0							
ST	NA	90.9	100.0	95.8	100.0	100.0	100.0	97.5	100.0	97.3	100.0							
TAZ/PIPC	100.0	100.0	96.3	96.2	100.0	100.0	94.0	97.6	97.6	94.6	96.7							
TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	14	24	27	26	34	33	50	41	42	37	30						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
 CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Enterobacter cloacae	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	100.0	100.0	100.0	NA	100.0	NA	100.0	100.0	100.0	100.0	100.0						
	AZT	NA	76.9	NA	NA	NA	NA	NA	81.8	NA	NA	76.9						
	CAZ	68.8	73.0	76.5	NA	80.0	NA	83.3	79.0	81.0	80.0	75.0						
	CEZ	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※1	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※2	R	R	R	R	R	R	R	R	R	R	R						
	CFPM	100.0	100.0	100.0	NA	100.0	NA	100.0	100.0	100.0	100.0	91.7						
	CMZ	R	R	R	R	R	R	R	R	R	R	R						
	CPFX					NA	NA	NA	NA	NA	100.0	100.0						
	CTRX	68.8	72.2	76.5	NA	80.0	NA	83.3	77.4	74.1	76.0	70.8						
	CTX	NA	NA	NA	NA	NA	NA	84.2	83.3	75.0	50.0	NA						
	CVA/AMPC	R	R	R	R	R	R	R	R	R	R	R						
	FOM																	
	GM	100.0	100.0	100.0	NA	100.0	NA	100.0	100.0	100.0	100.0	100.0						
	IPM/CS	100.0	97.3	100.0	NA	NA	NA	100.0	100.0	95.9	100.0	100.0						
	LVFX	87.5	97.3	88.2	NA	100.0	NA	97.9	96.8	96.3	100.0	100.0						
	MEPM	100.0	100.0	100.0	NA	100.0	NA	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	100.0	95.8						
	PIPC	68.8	76.7	64.7	NA	90.0	NA	85.4	85.5	84.5	76.0	75.0						
SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R							
ST	NA	94.7	NA	NA	NA	NA	96.6	85.0	88.9	100.0	100.0							
TAZ/PIPC	75.0	81.6	76.5	NA	90.0	NA	87.2	87.1	89.7	88.0	79.2							
TOB					NA	NA	NA	NA	NA	NA	NA							
対象株数		16	38	17	7	10	5	48	62	58	25	24						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Enterococcus faecalis	ABPC	96.8	98.9	100.0	99.1	96.4	98.3	95.9	94.9	94.5	97.8	99.4						
	CPFX					NA	NA	NA	NA	NA	83.0	83.4						
	EM	20.8	16.1	9.7	9.7	8.1	9.8	10.5	17.9	20.1	12.2	15.9						
	FOM					NA	NA	NA	NA	NA	60.0	71.1						
	LVFX	80.3	80.9	88.0	89.6	87.7	87.8	87.3	90.8	92.3	94.8	92.7						
	LZD	99.5	100.0	100.0	100.0	100.0	100.0	99.8	99.8	100.0	100.0	99.1						
	MINO	41.0	32.5	29.2	32.6	34.2	32.6	32.9	35.6	38.8	38.9	37.1						
	PCG	96.8	99.4	100.0	99.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	TEIC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	VCM	100.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	対象株数	391	342	380	379	548	517	577	590	641	539	530						
Enterococcus faecium	ABPC	33.3	18.0	38.5	22.1	16.8	20.7	19.0	13.9	4.2	14.0	10.6						
	CPFX					NA	NA	NA	NA	NA	5.6	7.4						
	EM	3.2	1.2	3.1	5.6	9.7	5.4	3.9	6.8	7.3	4.3	5.0						
	FOM																	
	LVFX	13.8	9.4	9.3	8.3	7.9	9.8	10.4	14.4	15.6	11.7	12.1						
	LZD	100.0	100.0	100.0	100.0	100.0	100.0	99.7	100.0	100.0	100.0	100.0						
	MINO	33.7	32.0	47.6	68.1	48.4	46.6	43.8	34.6	26.1	20.2	26.9						
	PCG	33.3	16.3	37.7	23.7	15.1	23.3	25.8	12.2	7.7	20.0	14.0						
	TEIC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	VCM	99.6	100.0	100.0	100.0	100.0	100.0	100.0	98.9	99.4	99.7	99.6						
	対象株数	284	184	199	244	314	355	397	378	336	362	264						

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Escherichia coli	ABPC	58.8	62.6	57.8	51.5	62.3	60.5	62.6	56.5	58.8	53.0	58.1						
	AMK	100.0	99.8	99.7	100.0	99.9	99.4	99.8	99.9	99.8	99.4	99.7						
	AZT	NA	88.1	89.1	88.0	88.4	86.4	85.5	82.3	84.5	79.4	79.0						
	CAZ	90.7	92.7	89.7	90.4	90.4	88.4	89.3	87.0	87.0	82.8	84.9						
	CEZ	63.1	70.1	62.7	55.5	62.9	65.1	66.9	63.2	66.3	61.3	67.2						
	CEZ※1	63.1	70.1	62.7	55.5	62.9	65.1	66.9	63.2	66.3	61.3	67.2						
	CEZ※2	63.1	70.1	62.7	55.5	62.9	65.1	66.9	63.2	66.3	61.3	67.2						
	CFPM	89.2	90.9	92.0	93.3	91.6	90.4	91.7	89.3	90.5	84.9	87.6						
	CMZ	96.2	99.0	97.4	96.2	98.9	99.5	99.5	98.9	98.7	98.0	99.3						
	CPFX					NA	NA	NA	NA	NA	65.8	61.9						
	CTRX	78.0	81.6	77.7	80.7	81.3	80.5	80.2	78.3	79.2	75.9	77.3						
	CTX	82.9	85.4	NA	NA	84.0	81.0	82.8	79.7	78.4	74.3	77.4						
	CVA/AMPC	84.8	89.1	90.5	88.1	91.2	81.9	86.9	85.0	88.5	89.4	91.1						
	FOM					95.2	NA	97.8	100.0	97.7	97.6	97.6						
	GM	91.4	93.1	92.0	92.5	91.0	89.9	91.8	92.3	91.9	90.9	91.9						
	IPM/CS	99.1	99.8	100.0	99.7	100.0	99.9	100.0	99.8	100.0	99.9	100.0						
	LVFX	68.4	74.7	66.4	69.6	71.0	69.1	68.3	64.8	61.8	60.8	56.9						
	MEPM	99.3	100.0	100.0	99.8	100.0	100.0	100.0	100.0	100.0	99.9	100.0						
	MINO					95.2	NA	93.5	93.8	95.5	93.9	94.6						
	PIPC	64.7	67.4	63.9	62.9	68.0	67.3	68.3	63.3	62.0	59.9	63.4						
SBT/ABPC	75.0	78.0	72.9	67.4	74.0	72.7	75.5	71.7	71.3	70.0	72.8							
ST	NA	81.4	80.8	84.5	85.2	84.3	84.7	82.6	80.7	82.2	83.2							
TAZ/PIPC	97.1	97.5	97.7	96.1	96.5	95.7	97.4	96.2	93.8	92.4	94.5							
TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	583	531	575	592	945	969	1155	1351	1364	1088	1100						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6							
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	
Escherichia coli [CTX or CTRX or CAZ R]	ABPC	2.8	1.2	2.6	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.7							
	AMK	100.0	98.9	97.9	100.0	100.0	98.0	98.6	99.7	98.8	98.3	99.1							
	AZT	NA	33.3	48.2	36.8	29.9	29.8	26.2	25.6	27.9	22.1	17.1							
	CAZ																		
	CEZ	0.0	0.0	2.6	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6							
	CEZ※1	0.0	0.0	2.6	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6							
	CEZ※2	0.0	0.0	2.6	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6							
	CFPM	38.5	46.7	62.9	62.2	51.6	50.8	57.4	51.7	55.7	39.4	47.4							
	※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	CMZ	82.6	95.5	89.5	90.9	96.7	98.8	97.1	96.3	94.4	95.3	97.6						
		CPFX					NA	NA	NA	NA	NA	14.7	12.3						
		CTRX																	
		CTX																	
		CVA/AMPC	58.1	83.6	76.3	79.4	82.9	53.5	74.0	74.7	84.6	85.7	82.5						
	CEZ※1：カテゴリがSとSIの割合	FOM					NA	NA	100.0	100.0	97.4	95.4	95.1						
	分子は「S」と「SI」、分母は「-」以外の値が入っている件数	GM	72.5	77.4	79.3	79.8	67.6	69.2	70.4	79.5	78.9	81.7	81.9						
		IPM/CS	98.2	100.0	100.0	98.4	100.0	99.5	100.0	99.7	100.0	100.0	100.0						
	CEZ※2：カテゴリがSIについては集計対象から除外	LVFX	18.3	10.9	10.7	15.6	10.5	5.5	7.9	8.8	10.0	12.7	10.9						
	分子は「S」、分母は「-」と「SI」以外の値が入っている件数	MEPM	96.3	98.9	100.0	99.2	100.0	100.0	99.6	100.0	100.0	99.6	100.0						
		MINO					NA	NA	84.6	90.9	94.7	88.4	90.0						
		PIPC	4.6	1.1	1.4	2.4	0.5	0.0	1.2	0.9	0.3	0.0	0.7						
	SBT/ABPC	35.5	43.5	39.5	23.5	33.3	23.9	37.2	36.7	30.3	30.1	33.5							
	ST	NA	48.7	53.2	61.7	51.9	50.0	51.4	57.3	50.8	55.8	66.5							
	TAZ/PIPC	90.8	95.7	95.0	92.2	83.2	83.6	91.7	86.6	82.3	78.1	84.1							
	TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	109	96	140	128	182	200	243	336	316	284	273							

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Haemophilus influenzae	ABPC	47.6	38.7	38.9	39.8	34.2	42.9	29.7	48.8	50.0	40.4	50.5						
	CAM	77.7	89.5	92.0	91.9	93.9	83.9	82.6	91.1	88.4	85.3	89.5						
	CAZ					NA	NA	NA	NA	NA	100.0	100.0						
	CPFX					NA	NA	NA	NA	NA	97.8	98.1						
	CTRX	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	CTX	100.0	100.0	NA	NA	100.0	NA	100.0	100.0	100.0	100.0	100.0						
	CVA/AMPC	72.8	78.5	78.3	75.8	72.7	74.0	73.8	87.0	85.5	77.5	85.4						
	LVFX	99.0	98.2	97.6	99.4	100.0	100.0	98.6	97.7	100.0	99.1	100.0						
	MEPM	100.0	98.8	96.7	98.7	99.1	100.0	100.0	100.0	100.0	100.0	99.1						
	SBT/ABPC	63.2	62.2	63.4	59.9	59.2	69.2	73.9	82.6	80.6	72.2	74.8						
	ST					NA	NA	NA	NA	NA	NA	63.9	52.8					
	TC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					
		対象株数	103	178	223	170	125	73	71	47	208	109	114					

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Klebsiella aerogenes	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	NA	100.0	100.0	98.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	AZT	NA	80.8	77.6	58.2	84.0	76.6	84.2	79.5	81.9	74.0	73.5						
	CAZ	NA	83.3	75.0	51.7	79.2	71.9	77.1	77.1	81.3	65.0	64.3						
	CEZ	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※1	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※2	R	R	R	R	R	R	R	R	R	R	R						
	CFPM	NA	100.0	100.0	98.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	CMZ	R	R	R	R	R	R	R	R	R	R	R						
	CPFX					NA	NA	NA	NA	NA	95.7	99.0						
	CTRX	NA	87.5	76.8	57.1	86.0	74.2	81.7	77.7	76.6	64.6	62.0						
	CTX	NA	NA	NA	NA	NA	NA	NA	90.9	77.1	57.9	71.4						
	CVA/AMPC	R	R	R	R	R	R	R	R	R	R	R						
	FOM																	
	GM	NA	100.0	100.0	98.3	98.1	100.0	100.0	100.0	98.2	100.0	99.1						
	IPM/CS	NA	100.0	96.4	100.0	100.0	100.0	98.9	100.0	99.0	100.0	99.0						
	LVFX	NA	100.0	96.4	100.0	100.0	100.0	100.0	98.0	97.7	95.3	100.0						
	MEPM	NA	100.0	100.0	98.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	90.1	93.8						
	PIPC	NA	84.6	72.7	57.1	82.7	69.8	77.4	81.4	79.8	64.0	63.9						
SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R							
ST	NA	100.0	97.9	100.0	97.6	100.0	98.6	100.0	98.5	100.0	100.0							
TAZ/PIPC	NA	90.3	73.2	61.5	86.5	78.5	85.1	83.5	86.2	68.0	70.9							
TOB					NA	NA	NA	NA	NA	NA	NA							
対象株数		6	32	56	59	54	67	96	107	113	105	112						

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Klebsiella oxytoca	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.6	98.5						
	AZT	NA	92.8	82.8	86.3	82.9	85.7	91.9	83.9	88.9	86.0	91.7						
	CAZ	100.0	98.1	99.4	99.3	100.0	99.4	99.5	99.5	99.5	99.4	98.8						
	CEZ	43.2	36.4	37.5	23.5	11.8	11.1	34.8	39.8	36.4	37.2	31.4						
	CEZ※1	43.2	36.4	37.5	23.5	11.8	11.1	34.8	39.8	36.4	37.2	31.4						
	CEZ※2	43.2	36.4	37.5	23.5	11.8	11.1	34.8	39.8	36.4	37.2	31.4						
	CFPM	98.2	99.0	98.7	99.3	98.3	99.4	99.0	99.5	99.5	100.0	98.8						
	CMZ	100.0	100.0	91.3	100.0	100.0	97.0	100.0	99.0	100.0	100.0	98.8						
	CPFX					NA	NA	NA	NA	NA	93.3	94.4						
	CTRX	88.9	90.7	84.5	84.8	79.7	85.7	91.4	87.0	89.3	86.2	91.7						
	CTX	93.5	76.2	NA	NA	92.6	100.0	100.0	97.1	98.2	94.7	94.3						
	CVA/AMPC	88.9	89.4	63.6	80.0	75.0	75.0	72.0	75.0	93.3	84.6	82.6						
	FOM																	
	GM	93.7	96.2	89.1	91.4	87.5	94.1	96.3	99.5	99.4	100.0	97.9						
	IPM/CS	99.1	100.0	100.0	100.0	100.0	99.4	100.0	99.5	100.0	100.0	99.3						
	LVFX	87.4	88.8	85.8	85.4	83.3	88.6	94.7	96.4	98.2	92.3	93.0						
	MEPM	100.0	100.0	99.4	100.0	100.0	99.4	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	91.2	93.8						
	PIPC	75.7	71.6	59.1	63.0	58.4	71.1	83.1	71.8	73.7	66.9	75.2						
SBT/ABPC	83.3	68.5	59.1	53.3	64.4	72.7	77.3	73.3	83.3	84.2	77.9							
ST	NA	96.4	97.9	94.6	96.6	96.1	98.3	94.6	98.1	95.6	96.5							
TAZ/PIPC	87.4	87.0	83.3	83.3	76.3	82.4	89.2	85.2	88.1	84.8	88.2							
TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	111	109	156	139	180	169	207	221	188	171	160						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Klebsiella pneumoniae	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	99.3	100.0	100.0	99.7	99.8	100.0	100.0	99.8	99.8	100.0	99.8						
	AZT	NA	98.1	94.1	99.0	97.1	95.0	95.4	92.9	90.1	93.4	94.0						
	CAZ	92.5	98.2	96.2	99.1	98.2	97.5	96.7	96.1	95.6	96.6	97.1						
	CEZ	64.6	88.2	78.5	77.8	81.4	85.7	81.7	82.8	84.4	88.0	82.0						
	CEZ※1	64.6	88.2	78.5	77.8	81.4	85.7	81.7	82.8	84.4	88.0	82.0						
	CEZ※2	64.6	88.2	78.5	77.8	81.4	85.7	81.7	82.8	84.4	88.0	82.0						
	CFPM	90.5	98.6	95.5	97.9	97.8	97.0	97.2	96.7	96.2	97.1	96.7						
	CMZ	91.2	99.5	98.5	95.7	97.7	96.8	95.2	98.3	98.2	97.7	95.9						
	CPFX					NA	NA	NA	NA	NA	95.2	94.2						
	CTRX	84.8	95.2	89.6	92.6	95.0	88.8	92.0	92.9	85.8	87.9	88.1						
	CTX	78.9	97.1	NA	NA	87.0	90.2	96.7	89.9	95.2	94.0	90.7						
	CVA/AMPC	93.9	98.1	95.2	95.7	90.4	97.2	94.7	95.2	90.1	95.7	96.4						
	FOM																	
	GM	85.7	97.7	94.4	94.7	95.9	94.3	97.8	95.8	92.5	89.5	89.9						
	IPM/CS	98.6	100.0	100.0	100.0	99.7	100.0	100.0	100.0	100.0	99.8	100.0						
	LVFX	96.6	97.7	93.7	98.0	97.1	96.5	97.0	95.7	90.9	93.7	91.7						
	MEPM	100.0	100.0	100.0	100.0	99.8	100.0	100.0	100.0	100.0	100.0	100.0						
	MINO					NA	NA	84.2	91.7	92.5	83.0	80.7						
	PIPC	66.0	80.5	74.7	75.0	72.5	73.4	84.3	75.4	67.3	71.0	73.0						
SBT/ABPC	78.8	91.4	81.0	83.3	82.8	82.6	86.6	85.1	83.4	85.5	79.8							
ST	NA	92.4	89.5	91.0	91.7	88.5	90.7	90.3	81.5	82.8	83.3							
TAZ/PIPC	97.3	98.6	94.4	98.0	95.3	96.3	97.3	97.1	91.9	95.8	96.4							
TOB					NA	NA	NA	NA	NA	NA	NA							
対象株数		147	228	290	343	409	403	429	543	609	527	489						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6							
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	
Klebsiella pneumoniae [CTX or CTRX or CAZ R]	ABPC	R	R	R	R	R	R	R	R	R	R	R							
	AMK	96.9	100.0	100.0	100.0	96.8	100.0	100.0	100.0	100.0	100.0	100.0							
	AZT	NA	NA	40.6	78.9	60.0	59.6	40.0	33.3	42.2	51.7	61.8							
	CAZ																		
	CEZ	3.1	NA	0.0	0.0	NA	NA	5.9	0.0	0.0	0.0	0.0							
	CEZ※1	3.1	NA	0.0	0.0	NA	NA	5.9	0.0	0.0	0.0	0.0							
	CEZ※2	3.1	NA	0.0	0.0	NA	NA	5.9	0.0	0.0	0.0	0.0							
	CFPM	46.9	72.7	60.0	74.1	64.5	76.5	61.1	59.1	72.8	73.0	72.4							
	※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	CMZ	90.6	NA	90.0	NA	87.5	81.8	77.8	93.3	85.3	89.5	96.2						
		CPFX					NA	NA	NA	NA	NA	66.1	66.7						
		CTRX																	
		CTX																	
		CVA/AMPC	NA	NA	72.7	80.0	NA	NA	71.4	82.4	47.1	72.7	83.3						
	CEZ※1：カテゴリがSとSIの割合	FOM																	
	分子は「S」と「SI」、分母は「-」以外の値が入っている件数	GM	25.0	54.5	52.9	33.3	38.1	61.7	81.8	73.7	49.4	27.6	21.6						
	CEZ※2：カテゴリがSIについては集計対象から除外	IPM/CS	100.0	100.0	100.0	100.0	96.7	98.0	100.0	100.0	100.0	100.0	100.0						
	分子は「S」、分母は「-」と「SI」以外の値が入っている件数	LVFX	84.4	72.7	63.9	81.5	83.9	78.4	77.8	69.8	53.8	55.0	53.7						
		MEPM	100.0	100.0	100.0	100.0	96.8	98.0	97.1	100.0	100.0	100.0	100.0						
		MINO					NA	NA	NA	NA	NA	17.7	25.4						
		PIPC	6.3	0.0	5.6	3.7	6.5	7.8	2.8	0.0	0.0	0.0	0.0						
	SBT/ABPC	NA	NA	9.1	10.0	18.8	27.3	38.9	35.5	11.8	0.0	19.2							
	ST	NA	NA	39.4	15.8	31.6	41.3	25.8	45.7	18.3	22.0	5.6							
	TAZ/PIPC	90.6	81.8	66.7	92.6	81.0	83.0	72.7	83.3	61.2	79.3	80.4							
	TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	32	11	36	28	31	52	36	44	92	63	59							

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Proteus mirabilis	ABPC	37.0	54.3	73.0	63.3	59.3	66.7	63.2	62.8	74.8	61.6	77.4						
	AMK	100.0	100.0	100.0	98.2	100.0	100.0	100.0	100.0	99.1	100.0	100.0						
	AZT	NA	90.9	94.6	91.2	85.7	87.9	92.2	90.4	92.0	91.1	95.7						
	CAZ	81.5	97.8	100.0	95.1	100.0	97.3	99.0	100.0	99.2	98.9	100.0						
	CEZ	18.5	38.3	49.3	34.4	40.2	47.4	38.4	43.5	54.8	53.3	61.6						
	CEZ※1	18.5	38.3	49.3	34.4	40.2	47.4	38.4	43.5	54.8	53.3	61.6						
	CEZ※2	18.5	38.3	49.3	34.4	40.2	47.4	38.4	43.5	54.8	53.3	61.6						
	CFPM	40.7	55.6	84.3	72.4	69.7	75.0	78.2	67.8	81.5	81.5	85.3						
	CMZ	96.3	100.0	100.0	98.3	100.0	100.0	100.0	100.0	99.2	100.0	100.0						
	CPFX					NA	NA	NA	NA	NA	80.0	83.3						
	CTRX	37.0	56.5	80.0	70.5	70.5	72.6	76.6	70.4	85.2	77.3	84.7						
	CTX	NA	NA	NA	NA	NA	NA	NA	65.4	65.2	53.8	85.2						
	CVA/AMPC	85.2	93.0	96.9	98.3	97.8	97.0	98.7	100.0	97.8	98.6	100.0						
	FOM																	
	GM	96.3	97.7	100.0	96.4	99.0	97.3	96.9	100.0	98.3	97.8	95.5						
	IPM/CS	96.3	66.0	59.4	62.9	46.8	57.7	72.7	52.2	46.6	50.6	54.5						
	LVFX	88.9	95.7	98.6	98.3	93.9	87.2	92.9	78.7	84.5	80.0	82.1						
	MEPM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.2	100.0	100.0						
	MINO	R	R	R	R	R	R	R	R	R	R	R						
	PIPC	37.0	55.8	82.1	68.3	61.1	67.1	71.0	64.9	76.9	75.0	78.1						
SBT/ABPC	40.7	59.1	82.9	73.3	69.8	75.0	77.2	74.2	81.1	81.7	91.0							
ST	NA	88.2	87.0	96.3	89.1	93.2	96.2	92.2	94.8	91.7	92.2							
TAZ/PIPC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.1	100.0	100.0							
TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	27	47	71	62	101	79	101	124	129	93	113						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Proteus vulgaris	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	NA	NA	NA	NA	NA	NA	95.2	100.0	100.0	100.0	100.0						
	AZT	NA	NA	NA	NA	NA	NA	100.0	100.0	91.7	94.7	100.0						
	CAZ	NA	NA	NA	NA	NA	NA	100.0	100.0	97.1	100.0	100.0						
	CEZ	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※1	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※2	R	R	R	R	R	R	R	R	R	R	R						
	CFPM	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0	100.0	100.0					
	CMZ	NA	NA	NA	NA	NA	NA	96.0	100.0	100.0	100.0	100.0	100.0					
	CPFX					NA	NA	NA	NA	NA	100.0	100.0						
	CTRX	NA	NA	NA	NA	NA	NA	91.7	64.1	69.7	56.5	65.0						
	CTX	NA	NA	NA	NA	NA	NA	NA	NA	90.0	NA	NA						
	CVA/AMPC	NA	NA	NA	NA	NA	NA	89.5	96.4	100.0	100.0	100.0						
	FOM																	
	GM	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0	100.0	100.0					
	IPM/CS	NA	NA	NA	NA	NA	NA	87.0	48.7	54.5	59.1	27.8						
	LVFX	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0	100.0	100.0					
	MEPM	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0	100.0	100.0					
	MINO	R	R	R	R	R	R	R	R	R	R	R						
	PIPC	NA	NA	NA	NA	NA	NA	100.0	83.8	78.1	81.8	89.5						
SBT/ABPC	NA	NA	NA	NA	NA	NA	88.0	80.0	94.1	95.7	85.0							
ST	NA	NA	NA	NA	NA	NA	94.1	92.9	100.0	100.0	100.0	100.0						
TAZ/PIPC	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0	100.0	100.0						
TOB					NA	NA	NA	NA	NA	NA	NA							
	対象株数	7	5	3	3	5	1	25	41	35	23	20						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Pseudomonas aeruginosa	AMK	98.3	100.0	99.2	99.1	99.4	99.3	99.4	99.4	100.0	99.2	99.7						
	AZT	NA	70.9	65.2	77.1	73.2	71.8	76.1	81.1	75.1	77.7	79.0						
	CAZ	86.4	81.7	87.0	91.7	89.7	92.3	92.6	92.6	91.3	92.4	91.2						
	CFPM	88.5	85.8	89.5	92.0	92.3	96.3	94.5	94.2	93.3	94.8	93.9						
	CPFX					NA	NA	100.0	NA	100.0	93.9	94.7						
	GM	94.9	98.1	96.2	94.7	97.7	97.9	98.1	96.6	96.2	96.3	97.3						
	IPM/CS	76.2	82.8	85.4	86.0	88.5	88.9	86.0	87.8	87.9	90.9	87.3						
	LVFX	78.3	87.0	80.7	86.4	89.5	90.7	91.2	91.4	91.1	90.0	92.2						
	MEPM	83.0	85.0	88.2	89.5	92.0	91.7	89.3	89.9	90.6	91.8	88.6						
	MINO	R	R	R	R	R	R	R	R	R	R	R						
	PIPC	76.2	74.8	81.4	84.5	86.5	89.0	89.0	90.5	90.4	85.8	88.6						
	SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R						
	ST	R	R	R	R	R	R	R	R	R	R	R						
	TAZ/PIPC	78.7	76.4	81.2	86.7	84.6	88.4	93.2	90.8	92.0	91.5	90.7						
	TOB					NA	NA	NA	NA	NA	NA	NA						
	対象株数	235	215	241	228	332	302	367	420	494	446	399						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Serratia marcescens	ABPC	R	R	R	R	R	R	R	R	R	R	R						
	AMK	100.0	100.0	98.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	96.6						
	AZT	NA	95.9	98.7	96.6	98.4	100.0	98.0	98.6	98.3	100.0	96.5						
	CAZ	75.0	100.0	96.6	96.9	97.2	100.0	97.1	97.0	97.6	97.1	97.5						
	CEZ	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※1	R	R	R	R	R	R	R	R	R	R	R						
	CEZ※2	R	R	R	R	R	R	R	R	R	R	R						
	CFPM	83.3	100.0	97.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.5						
	CMZ	R	R	R	R	R	R	R	R	R	R	R						
	CPFX					NA	NA	NA	NA	NA	93.3	93.4						
	CTRX	16.7	57.4	72.7	84.4	70.4	87.7	88.4	91.7	84.9	89.7	85.0						
	CTX	NA	NA	NA	NA	NA	NA	90.0	100.0	88.0	NA	91.3						
	CVA/AMPC	R	R	R	R	R	R	R	R	R	R	R						
	FOM																	
	GM	100.0	100.0	98.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	IPM/CS	100.0	98.1	100.0	100.0	98.5	100.0	100.0	98.9	98.8	100.0	98.7						
	LVFX	66.7	75.0	83.0	95.4	80.3	93.8	95.7	96.9	85.9	89.8	91.8						
	MEPM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.0	100.0	100.0	100.0						
	MINO					NA	NA	NA	NA	NA	86.8	80.2						
	PIPC	8.3	58.5	70.5	86.2	69.0	87.5	89.9	93.9	86.0	89.6	91.1						
SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R							
ST	NA	100.0	100.0	100.0	100.0	98.4	100.0	100.0	100.0	100.0	98.2							
TAZ/PIPC	16.7	67.9	77.3	87.7	77.5	89.2	91.3	96.9	90.6	97.1	96.3							
TOB					NA	NA	NA	NA	NA	NA	NA							
対象株数		12	56	88	65	71	65	69	99	86	68	81						

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

CEZ※1：カテゴリがSとSIの割合分子は「S」と「SI」、分母は「-」以外の値が入っている件数
CEZ※2：カテゴリがSIについては集計対象から除外 分子は「S」、分母は「-」と「SI」以外の値が入っている件数

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Staphylococcus aureus	AZM					NA	NA	NA	NA	NA	64.3	67.0						
	CAM					NA	NA	NA	NA	NA	65.1	65.8						
	CEZ																	
	CLDM	NA	75.0	76.3	77.1	72.7	74.1	82.8	85.6	91.2	90.9	92.3						
	CVA/AMPC																	
	DAP					NA	NA	NA	NA	NA	100.0	100.0						
	EM	40.4	52.1	53.4	57.4	50.5	57.5	54.7	56.0	61.6	60.5	62.2						
	IPM/CS	60.5	72.3	79.1	80.7	80.3	82.8	87.6	89.1	92.1	93.4	93.7						
	LVFX	47.3	54.6	56.4	58.7	56.0	61.8	64.4	62.7	66.6	66.5	64.5						
	LZD	100.0	100.0	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	MINO	64.2	77.6	81.2	82.0	83.5	85.1	89.2	90.8	93.7	94.2	94.9						
	MPIPC	52.6	65.2	62.9	67.0	57.1	56.3	60.8	63.3	68.1	65.7	68.6						
	PCG	24.1	31.1	28.7	36.3	38.7	36.6	37.8	39.6	41.0	42.7	43.9						
	SBT/ABPC																	
	ST	NA	99.5	99.7	99.0	98.4	99.3	99.6	99.6	99.6	99.6	98.8	99.7					
	TEIC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
VCM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0						
対象株数		584	610	606	589	919	887	1033	1281	1424	1077	1041						

※表示対象外の箇所は「-」、対象株数が0～10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Stenotrophomonas maltophilia	AMK	R	R	R	R	R	R	R	R	R	R	R						
	AZT	R	R	R	R	R	R	R	R	R	R	R						
	CAZ	50.0	40.0	NA	NA	NA	NA	42.3	38.1	36.4	29.4	30.8						
	CFPM																	
	CPFX																	
	GM	R	R	R	R	R	R	R	R	R	R	R						
	IPM/CS	R	R	R	R	R	R	R	R	R	R	R						
	LVFX	87.5	86.7	NA	NA	84.2	91.7	84.6	90.5	100.0	94.1	96.2						
	MEPM	R	R	R	R	R	R	R	R	R	R	R						
	MINO	97.9	100.0	NA	NA	100.0	91.7	100.0	100.0	100.0	100.0	100.0						
	PIPC	R	R	R	R	R	R	R	R	R	R	R						
	SBT/ABPC	R	R	R	R	R	R	R	R	R	R	R						
	ST	NA	NA	NA	NA	NA	NA	100.0	90.9	92.9	90.9	90.0						
	TAZ/PIPC	R	R	R	R	R	R	R	R	R	R	R						
	TOB	R	R	R	R	R	R	R	R	R	R	R						
	対象株数	48	15	4	4	19	12	26	21	22	17	26						
Streptococcus agalactiae	ABPC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	CLDM	71.1	93.8	89.0	84.1	85.7	84.5	83.7	77.0	70.9	72.3	73.5						
	CTRX	98.3	100.0	99.1	99.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	CTX	97.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	EM	60.5	85.7	85.2	86.6	80.9	71.8	72.8	77.4	71.8	66.2	71.8						
	LVFX																	
	MEPM																	
	PCG	93.1	96.0	90.6	94.1	96.1	92.6	96.7	93.0	96.5	95.8	98.4						
	ST																	
	TC					NA	NA	NA	NA	NA	59.4	55.0						
	VCM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	対象株数	58	78	110	120	136	135	216	262	284	202	207						

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6						
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
Streptococcus pneumoniae [髄液検体] ※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	ABPC																	
	CLDM																	
	CTRX										NA	NA						
	CTX										NA	NA						
	EM																	
	LVFX																	
	MEPM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					
	PCG											NA	NA					
	ST					NA	NA	NA	NA	NA	NA	NA	NA					
	TC																	
	VCM	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					
	対象株数	0	0	1	0	0	0	1	0	0	0	0						
Streptococcus pneumoniae [髄液検体以外] ※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	ABPC																	
	CLDM	23.5	35.6	23.9	51.6	41.0	58.3	52.2	54.2	46.8	58.0	56.3						
	CTRX	97.8	99.2	99.0	97.6	98.2	100.0	100.0	100.0	100.0	98.3	98.1	94.9					
	CTX	100.0	NA	NA	NA	100.0	NA	100.0	100.0	97.8	100.0	95.5						
	EM	0.0	NA	NA	NA	NA	NA	13.5	30.0	16.5	25.9	28.0						
	LVFX	95.6	97.5	97.1	100.0	94.7	94.7	98.3	100.0	98.4	94.3	94.9						
	MEPM	100.0	96.6	99.0	100.0	97.0	92.3	91.5	91.2	85.8	82.4	92.3						
	PCG	97.8	99.1	100.0	100.0	98.5	96.0	100.0	100.0	100.0	100.0	97.4						
	ST					NA	NA	NA	NA	NA	NA	NA						
	TC					NA	NA	NA	NA	NA	NA	NA						
	VCM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	対象株数	45	126	108	86	68	27	59	34	123	53	40						

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6								
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031		
Streptococcus pyogenes	ABPC	100.0	NA	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0								
	CLDM	NA	NA	NA	NA	NA	NA	NA	NA	95.0	95.2	83.3								
	CTRX	100.0	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0	100.0								
	CTX	NA	NA	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0								
	EM	NA	NA	NA	NA	NA	NA	NA	NA	89.5	87.5	92.9								
	※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます	LVFX																		
	MEPM																			
	PCG	100.0	NA	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0								
	ST																			
	TC					NA	NA	NA	NA	NA	NA	NA								
	VCM	100.0	NA	NA	NA	NA	NA	NA	NA	NA	100.0	100.0	100.0							
対象株数	10	4	0	2	4	8	4	13	24	22	19									
コアグラマーゼ陰性ブドウ球菌 (CNS)	AZM					NA	NA	NA	NA	NA	54.8	51.9								
	CAM					NA	NA	NA	NA	NA	56.7	53.7								
	CEZ																			
	CLDM	NA	69.3	76.8	80.0	83.0	80.5	82.1	81.3	85.3	80.4	79.2								
	CVA/AMPC																			
	DAP																			
	EM	40.9	40.6	46.4	47.1	50.9	51.4	51.5	56.1	57.7	54.9	52.3								
	IPM/CS																			
	LVFX	47.0	33.2	30.3	34.0	38.1	36.2	41.0	46.5	49.9	44.4	43.3								
	LZD	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0								
	MINO	93.9	88.1	89.6	90.8	91.4	91.2	92.1	92.7	95.3	93.5	92.7								
	MPIPC	43.9	26.3	28.1	30.3	32.6	33.9	35.6	36.0	39.9	37.7	34.2								
	PCG	30.3	14.8	14.4	17.4	19.0	18.2	19.9	19.2	20.3	20.3	19.0								
	SBT/ABPC																			
	ST	NA	82.9	78.6	80.0	83.2	80.4	82.8	79.1	81.8	79.4	83.1								
	TEIC	98.5	97.8	96.6	97.9	99.8	100.0	100.0	99.9	99.7	99.7	100.0								
VCM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0									
対象株数	66	369	550	544	630	597	716	891	861	714	650									

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6							
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	
メチシリン感受性 黄色ブドウ球菌 (MSSA)	AZM					NA	NA	NA	NA	NA	79.5	79.9							
	CAM					NA	NA	NA	NA	NA	81.1	80.2							
	CEZ	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0							
	CLDM	NA	96.8	97.3	97.5	96.5	98.2	98.0	98.2	98.2	98.1	98.5							
	CVA/AMPC	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0							
	DAP																		
	EM	73.1	76.9	80.1	80.4	73.2	85.2	76.7	77.3	78.5	80.5	81.1							
	IPM/CS	99.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
	LVFX	87.4	88.6	89.1	86.6	84.2	88.0	84.3	81.0	82.0	82.9	78.6							
	LZD																		
	MINO	98.3	99.4	99.1	98.6	99.1	98.9	99.1	99.4	99.0	98.7	99.2							
	MPIPC																		
	PCG	46.5	47.9	46.3	53.7	52.6	50.8	52.4	54.0	52.1	55.6	53.4							
	SBT/ABPC					NA	NA	100.0	100.0	100.0	100.0	100.0	100.0						
	ST	NA	100.0	99.5	98.5	99.5	99.2	99.6	99.3	100.0	99.6	99.6							
	TEIC																		
	VCM																		
対象株数		294	390	385	403	608	593	705	882	1045	776	759							

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます

検出区分：院内	参加施設数	3	3	3	3	5	5	5	5	5	6	6							
菌名	薬剤名\年	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	
メチシリン耐性 黄色ブドウ球菌 (MRSA)	AZM					NA	NA	NA	NA	NA	10.7	11.2							
	CAM					NA	NA	NA	NA	NA	12.3	12.2							
	CEZ																		
	CLDM	NA	30.2	34.1	33.7	42.3	44.0	58.9	64.9	72.4	71.1	76.4							
	CVA/AMPC																		
	DAP					NA	NA	NA	NA	NA	100.0	100.0							
	EM	8.3	10.6	9.3	9.3	7.6	7.2	11.1	16.0	13.7	11.2	10.1							
	IPM/CS	23.7	25.3	41.2	37.3	42.6	50.7	59.7	66.3	70.6	75.2	76.8							
	LVFX	8.0	5.9	7.0	3.6	5.7	4.1	5.2	12.7	9.9	9.2	10.6							
	LZD	100.0	100.0	99.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0							
	MINO	31.0	42.3	51.1	51.1	54.6	60.4	69.8	73.6	80.1	81.5	83.7							
	MPIPC																		
	PCG																		
	SBT/ABPC																		
	ST	NA	98.9	100.0	100.0	97.4	99.5	99.0	100.0	99.1	97.9	100.0							
	TEIC	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0							
	VCM	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0							
対象株数		313	248	257	208	343	336	363	453	426	331	310							

※表示対象外の箇所は「-」、対象株数が0~10株未満の箇所は「NA」、自然耐性の箇所は「R」と表示されます